



12 / 24V MPPT LCD + USB 5V 3A



WISER MPPT LCD PC MPPT USB 5V 3A mppt

















- Load Terminals ⑥
- Auto-Cooling ⑦
- USB 5V/3A ⑧
- Bat. Temp Sensor ⑨
- RS485 Port ⑩





















USB/5V/3A

- ⑧
- ⑨
- ⑩




LCD



On	Mean "ON"	FLD	Mean "FLD"
OFF	Mean "OFF"	GEL	Mean "GEL"
USER	Mean "USER"	SEL	Mean "SEL"

LOAD

LOAD



PC SolarEagle

PV LOAD;

□□

WISER		15A	20A	30A	40A	50A	
□□□□	□□□□	MPPT□□□□□□□□					
	MPPT□□	≥99.5□					
	□□□□	0.5W□1.2W					
	□□□□	□□□□					
	□□□□	□□□□□□					
□□	□□□□□□VOC□	DC100V		DC150V			
□□		□□□□□□□□	□□□□+ 3V				
		□□□□□□□□	□□□□+ 2V				
		□□□□□□	DC100V		DC150V		
□□□□□□	12V□□	195W	260W	390W	520W	650W	
	24V□□	390W	520W	780W	1040W	1300W	

□□□□	□□□□□□□□	□□□□□□□□□□□□□□				
	□□□□□□□□	□□□□□□□□□□□□□□				
	□□□□□□	15A	20A	30A	40A	50A
	□□□□	3□□□□□□□□□□□□□□ - □□□□□□□□				
□□□□	□□□□	□□□□□□□□				
	□□□□□□	20A		50A		
	□□□□□□	□□□□□□PV□□□□□□□□ □□□□□□□□PV +□□□□□□□□				
□□	□□□□	□□LCD□□□□□□□□				
□□	□□□□	8□RJ45□□/ RS485 /□□PC□□□□□□/				
	□□□□	□□WiFi□□□□□□APP□□□□				
□□□□	□□□□	□□□□□□□□□□□□□□				
	□□□□	□□□□□□□□□□□□□□□□□□				
	□□□□	-20°C□+ 50°C				
	□□□□	-40°C□+ 75°C				
	IP□□□□□□□□	IP43				
	□□□□□□□□	12□□□□□□		30□□□□□□		
	□□/□□□□	0.83		1.65		
	□□□□kg□	1		1.95		
	□□□□□□mm□	200 * 110 * 68		243 * 155 * 80		
	□□□□□□mm□	250 * 145 * 105		290 * 190 * 113		