

□□□

MPPT□□□□□□□□ I-P-E-SMART-12V / 24V / 48V□□		30A
□□□□	MPPT□□□□□□□□	
□□□□	□□□□□□□□MPPT□□□□□□□□	
□□□□	DC12V / 24V / 48V	□□□□
□□□□	12V□□	DC9V□DC15V
□□□□	24V□□	DC18V□DC30V
□□□□	48V□□	DC36V□DC60V
□□□□□□	12V / 24V / 48V□□	≤3S
□□□□□□□□	12V / 24V / 48V□□	500US
MPPT□□□	12V / 24V / 48V□□	≥96.5□□≤99□
□□□□		
MPPT□□□□□□□□	12V□□	DC14V□DC100V
	24V□□	DC30□DC100V
	48V□□	DC60□DC100V
□□□□□□	12V□□	DC14V
□□□□	24V□□	DC30V
□□□□	48V□□	DC60V
□□□□□□	12V□□	DC18V
□□□□	24V□□	DC34V
□□□□	48V□□	DC65V
□□□□□□□□	12V / 24V / 48V□□	DC110
□□□□□□□□	12V / 24V / 48V□□	DC100V
□□□□□□□□	12V□□□W□	426
	24V□□□W□	852
	48V□□□W□	1704
□□□		
□□□□□□□□ □□□□□□ □□□□	12V / 24V / 48V□□	□□□□Vented□Gel□NiCd□□ □□□□□□□□□□□□□□
□□	12V / 24V / 48V□□	
□□□□	12V / 24V / 48V□□	□□□□□□□□□□□□□□
□□□□□□□□	12V / 24V / 48V□□	30A
□□ □□	12V / 24V / 48V□□	35A
□□□□	12V / 24V / 48V□□	±0.02□/°C
□□□□	12V / 24V / 48V□□	14.2V-□□□□□-25°C□* 0.3
□□□□□□□□	12V / 24V / 48V□□	200mV□
□□□□□□□□ □□	12V / 24V / 48V□□	≤±1.5□
□□□□□□		
□□□□		□□□□□□
□□□□ □□□□		□□10.5V;□□11V;□□□□□□
□□□□□□□□		30A
□□□□		□□□□□□□□PV□□□□□□
□□□□□□□□		□□□□□□PC□□
□□		

LED		
LED		LOAD
PC		RS232
		≤40dB
		CE \ FCC \ RoHS
D x W x H	mm	205 * 168 * 60
D x W x H	mm	265 * 196 * 110
N.G	KG	1.8
G.N	KG	2
		IP25
		0~90
		0~3000
		-20°C+ 50°C
		-40°C+ 75°C
		70~106kPa

-
- OEM ODM 36V / 72V / 96V

1	1	OEM ODM
2	2	
3	4	
4	1	RJ45 RS232
	1	
6	2	
7	1	
8	1	

- 000**PC**0000000000

10 000**PC**000000000000000000000000**PC**0000000000