


□□□□□□□□□□□□□□□□



□□□□□

MPPT I-P-E-SMART-12V / 24V / 48V 20A		
MPPT	MPPT	
	MPPT	
	DC12V / 24V / 48V	
	12V	DC9V DC15V
	24V	DC18V DC30V
	48V	DC36V DC60V
	12V / 24V / 48V	≤3S
	12V / 24V / 48V	500US
MPPT	12V / 24V / 48V	≥96.5% ≤99%
MPPT	12V	DC14V DC100V
	24V	DC30V DC100V
	48V	DC60V DC100V
	12V	DC14V
	24V	DC30V
	48V	DC60V
	12V	DC18V
	24V	DC34V
	48V	DC65V
	12V / 24V / 48V	DC110V
	12V / 24V / 48V	DC100V
	12V	426W
	24V	852W
	48V	1704W

CHARGE CHRECTRESTICS

输入电压 输入电压范围 输入电压	12V / 24V / 48V	输出电压 输出电压范围
输出 输出电压 输出电流 输出 输出	12V / 24V / 48V	输出电压范围 输出电压范围 20A 25A
精度 精度 精度 精度	12V / 24V / 48V	$\pm 0.02\%$ $14.2V - 25^\circ C * 0.3$ $200mV$
精度 精度	12V / 24V / 48V	$\leq \pm 1.5\%$
输入 输入 输入 输入 输入 输入		输入 输入 $10.5V - 11V$ 30A PV 输入
LED LED PC		LED LED RS232
噪声 噪声 噪声 噪声		$\leq 40dB$ 噪声 EU FCC ROHS CE
湿度 湿度 温度 温度 压力		$0 - 90\%RH$ $0 - 3000$ $-20^\circ C - + 50^\circ C$ $-40^\circ C - + 75^\circ C$ $70 - 106kPa$





中外运敦豪





