

12V 24V 48V 3000 12V 220V



DC-



DC INPUT		
12V	24V	48V
	✓	

DC+



Remote Port



AC OUTPUT



MAX 5A

AC INPUT | AC OUTPUT




L N E | L N E

Inverter
Output Protect




Charger
Input Protect






2. 1. 2. 3.



3. UPS 1. 2.



- 3.1. 3.2.

1. 2. CPU

3. LCD LED

4. AC DC 50Hz 60Hz

5. 87-98 1W 6W

6. 8

7.

8. 3 1KW 1HP 2KW 2HP 3KW 3HP

9. 5

10.

11. EMC LVD RoHS

12. 2

		1000W	2000W	3000W	4000W	5000W	6000W
Power		1000W	2000W	3000W	4000W	5000W	6000W
Power		3000W	6000W	9000W	12000W	15000W	18000W
DC Voltage		12V 24V 48V			24V 48V		
Dimensions (WxDxH) mm		318 * 218 * 368			440 * 218 * 400		
Dimensions (WxDxH) mm		395 * 275 * 520			520 * 275 * 520		
Weight (kg)		27	28	30	39	40	51
Weight (kg)		29	30	32	43	48	53
Mode		Mode.1-6W 5					
AC Voltage		220V 35 110V + 35 ±					
AC Frequency		50Hz 60Hz					
AC Voltage		220V ± 3 230V ± 3 240V ± 3 100V ± 3					
AC Voltage		110V ± 3					
DC / AC		DC / AC 50Hz 60Hz					
AC Voltage		1000W	2000W	3000W	4000W	5000W	6000W
AC Voltage	12V	35A	65A	75A	/	/	/
AC Voltage	24V	20A	35A	45A	65A	70A	75A
AC Voltage	48V	10A	15A	30A	35A	40A	50A
0 AC		1 2 OEM					
UPS		CC CV CF					
DC							
LED		+ LED					
		120 1 > 130 10s					
		1 6W					
		1 3A					
		87 98					

□□□□

□□

□□

□□
□□
□□

<5ms□□DC / DC□□AC□□AC□
□□□□□□□□□□□□□□
□□□□□□□□□□□□□□
-10°C□50°C
10□□90□
≤4000m

