- □ □□□



- □□□

1. MPPT□□□□□□□□□□99□□□□□PWM□□□□□□□□□30□□60□□□□□□□□□□□□

2. DC12V / 24V / 48V□□□

3.□□PV□□□□□□□DC100V□□□

4□□□□□□□□□□MPPT□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□3□□□□□□□□□□□□□□□□□□□□PV□□□□□□□□□□□□□□

6.□□□□□4□□□□□□□□□□□□□□□□□□□□□□□□□□□□□NiCd□□□

7.□□□PV□□□

8. RS232□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□

10.□□□□□□□RoHS□□

11. 2□□□□□□ 3□10□□□□□□□□□□□□□□

- □□□□□□□

MPPT□□□□□□□□□□□□□□□□□□ IP-SMART-12V / 24V / 48V□□□□		40A
□□□□□	MPPT□□□□□□□□□□	
□□□□	3□□□□□□□□MPPT□□□□□□□□□□□□□□□□□□□□	
□□□□□□□□	DC12V / 24V / 48V	□□□□
□□□□□□□	12V□	DC9V□DC15V
	24V□□□□	DC18V□DC30V
	48V□	DC36V□DC60V
□□□□□□□□□□	12V / 24V / 48V□□□□	≦3S
□□□□□□□□□	12V / 24V / 48V□□□□	500us
MPPT□□	12V / 24V / 48V□□□□	≥96.5□□≤99□
□□□□		
MPPT□□□□□□	12V□	DC14V□DC100V
	24V□□□□	DC30□DC100V
	48V□	DC60□DC100V
□□□□□ □□□□□□	12V□	DC14V
	24V□□□□	DC30V
	48V□	DC60V
□□□□□ □□□□□□□□□	12V□	DC18V
	24V□□□□	DC34V
	48V□	DC65V
□□□□□□□□□□□□	12V / 24V / 48V□□□□	DC110
□□□□□□□□□□□□□□	12V / 24V / 48V□□□□	DC100V
□□PV□□□	12V□□W□	568
	24V□□W□	1136□
	48V□□W□	2272
□□□□□□		
□□□□□□□□ □□□□□□□□ □□□	12V / 24V / 48V□□□□	□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□
□□□	12V / 24V / 48V□□□□	□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□	12V / 24V / 48V□□□□	
□□□□□□	12V / 24V / 48V□□□□	40A
□□□□ □□	12V / 24V / 48V□□□□	45A
□□□□	12V / 24V / 48V□□□□	±0.02□/℃
□□□□	12V / 24V / 48V□□□□	14.2V-□□□□□-25℃□* 0.3
□□□□□□□□□□□□	12V / 24V / 48V□□□□	200mV
□□□□□□□ □□	12V / 24V / 48V□□□□	±1.5□□□
□□□□□□		
□□□□		□□□□□□□□□□□□□

[illegible] [illegible]	[illegible]10.5V[illegible]11V[illegible]	
[illegible]	30A	
[illegible]	[illegible]PV[illegible]	
[illegible]	[illegible]PC[illegible]	
[illegible]		
LED[illegible]	[illegible]	
LED[illegible]	[illegible]	
[illegible]	RS232	
[illegible]		
[illegible]	[illegible]	
[illegible]	[illegible]	
[illegible]	[illegible]	
[illegible]	[illegible]	
[illegible]	[illegible]	
[illegible]	[illegible]	
[illegible]		
[illegible]	≤40dB	
[illegible]	[illegible]	[illegible]
[illegible]	EU[illegible]	
[illegible]	CE \ FCC \ RoHS	
[illegible]		
[illegible]D×W×H[illegible]mm[illegible]	205×168×60	
[illegible]D×W×H[illegible]mm[illegible]	265 * 196 * 110	
N.G[illegible]KG[illegible]	1.8kg	
G.N[illegible]KG[illegible]	2kg	
[illegible]	IP25	
[illegible]		
[illegible]	0[illegible]90[illegible]RH[illegible]	
[illegible]	0[illegible]3000[illegible]	
[illegible]	-20℃[illegible]+ 50℃	
[illegible]	-40℃[illegible]+ 75℃	
[illegible]	70[illegible]106kPa	

[illegible]

1. [illegible]
2. [illegible]OEM[illegible]ODM[illegible] 36V / 72V / 96V[illegible]

- [illegible]

[illegible]	[illegible]	[illegible]
1	1[illegible]	[illegible]OEM ODM[illegible]
2	2[illegible]	[illegible]
3	4[illegible]	[illegible]
4	1[illegible]	RJ45 - RS232[illegible]
5	1[illegible]	[illegible]
6	2[illegible]	[illegible]DC[illegible]
7	1[illegible]	[illegible]
8	1[illegible]	CD

- **□□□□□□PC□□□□□□□□□□□□□□□□□□□□**

1□ □□□□□□PC□□□PC□□

□□□□□□□PC□□□□□□□□□□



□□□□□□□□□□□□□□□□□□

1.1□□□□□□□□□□□□□□□□□□□□□□□□□□□□□PV□□DC□□□□□□□□□□□□□□□□□□□

1.2□□□PC□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□PC□□

2.□□□□□□□□□□□□□

□2.1□2.2

2.1 ENTER1□□□□□□□□□□ENTER1 2□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□2□□□13.5 V□□□□13□□

2.2 ENTER2□□□□□□ENTER2□□□□□□2□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□00□□□□□□□□□□□22.5A□□□□22□□□□□□□□□2.2□□□□□□□□□□□ ENTER2□□□□□□□□□□□□□□□□□DC□□□□□□□□□□□□□□□□□□□□□□□□□□□□PV□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□

- [illegible]

[illegible]

2014[illegible]5[illegible]5[illegible]2[illegible]