

□□



□□

- 1. MPPT
- 2.
- 3. [3](#)
- 4. PC

□□

- 1. MPPT 99%
- MPPT 2. With TI28035 99%
- 2002/95 / EC 4. Compliance
- 5. Adopting 105°C. the 10

□□

- 6. Charge 3
- 7. 12V / 24V / 48V
- 8. Nominal 150V
- 9. Connected
- 10. LCD LED PV customers' company

11. Port. RS232

7 PC 12

13. LAN


14. Equipment + CD-ROM + + +

15. CE ROHS FCC PSE approved. The

16. 2 3 10

□□□□

P-MSC-DC12V / 24V / 48V			60A	
MPPT	3			
DC12V / 24V / 48V				
DC9V		DC15V		
24V		DC18V	DC30V	
48Vsystem		DC36V	DC60V	
12V / 24V / 48Vsystem			≤10S	
12V / 24V / 48Vsystem			500US	
12V / 24V / 48Vsystem			≥96.5 ≤99	
PV			12V / 24V / 48Vsystem ≥99	
MPPT				
	12V		DC18V	DC150V
	24V		DC34	DC150V
	48V		DC65	DC150V
	12V		DC16V	
	24V		DC30V	
	48V		DC60V	
	12V		DC22V	
	24V		DC34V	
	48V		DC65V	
DC	12V / 24V / 48V		DC160V	
	12V / 24V / 48V		DC150V	
	12V / 24V / 48V		DC145V	
	12V		700W	
PV	24V		1400W	
	48V		2800 W	
GEL				
12V / 24V / 48Vsystem				
12V / 24V / 48V				
12V / 24V / 48V				
12V			14.6V	
24V			29.2V	
48V			58.4V	
12V / 24V / 48V			50A	
12V / 24V / 48V			55A	
12V / 24V / 48V			±0.02 / °C	
12V / 24V / 48V			14.2V - -25 °C	* 0.3
12V / 24V / 48V			200mV	
12V / 24V / 48V			≤±1.5	
LCD				
LCD				
LED	3			
PC			RS232	LAN
LED				
95°C				
85°C				3A
LED				



□□□□□□□□

1. □□□□□□□□□□□□□□□□□□□□□□□□
2. □□□□□□□□□□□□□□□□□□□□□□□□
3. □□□□□□□□
4. □□□□□□□□□□□□