□□□

Fuctions□

1□MPPT□□□□□□□□□□□□□

2□□□□□□□

3□3□□□□□

4□□□PC□□□□□

□□□

1.MPPT□□□□□□□□□□□99□□□□□30□□□□□□□□□□□□□□□□60□□

2.□□□□□MPPT□□□□□□□TI28035□□□□□□□□□□□□□□□□99□□□□

3.□□□□□□□□□□□□□□□□□□□□□□□□□

4.Compliance□2002/95 / EC□□□□□□□□□□□□□□

5□□□□□□□□□□□□□□□□□□□□□□□□105℃□□□□□□□□□□□□□□10□□□□

6.Charge□□□□□□□□□□□□□□□□□□

7.12V / 24V / 48V / 96V□□□□□□□□□□□□

8□12V / 24V / 48V□□□□□□□□□□□□□150V□96V□□□□□□□□□□□□□300V;

9.Connected□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

10、LCD、LED、PV、customers'company、

11、Port.RS232、

12、PC、7、

13、

14.Equipment、+ CD-ROM、+、+、;

15.CE、ROHS、FCC、PSE、

16 2、3、10、

、

Smart1 12V / 24V / 48V / 96V		20A	30A
3、MPPT、			
	DC12V / 24V / 48V / 96V		
	12V、	DC9V、DC15V	
	24V、	DC18V、DC30V	
	48Vsystem	DC36V、DC60V	
	96Vsystem	DC72V、DC120V	
	12V / 24V / 48V / 96V	≤10S	
	12V / 24V / 48V / 96V	500US	
	12V / 24V / 48V / 96V	≥96.5、≤99、	
	12V / 24V / 48V / 96V	≥99、	
MPPT	12V、	DC18V、DC150V	
	24V、	DC34、DC150V	
	48V、	DC65、DC150V	
	96Vsystem	DC125、DC300V	
	12V、	DC16V	
	24V、	DC30V	
	48V、	DC60V	
	96Vsystem	DC120V	
	12V、	DC22V	
	24V、	DC34V	
	48V、	DC65V	
	96Vsystem	DC125V	
	12V / 24V / 48V、	DC160V	
	96Vsystem	DC300V	
	12V / 24V / 48V、	DC150	
	96Vsystem	DC300V	
	12V / 24V / 48V、	DC145V	
	96Vsystem	DC295V	
	12V、	280W	450W
	24V、	560W	850W
	48V、	1120W	1700W
	96Vsystem	2240W	3400W

[illegible]	12V / 24V / 48V / 96Vsystem	[illegible] [illegible]	
[illegible]	12V / 24V / 48V / 96Vsystem	[illegible] [illegible]	
[illegible]	12V / 24V / 48V / 96Vsystem		
[illegible]	12V[illegible]	14.6V	
	24V[illegible]	29.2V	
	48V[illegible]	58.4V	
	96V[illegible]	116.8V	
[illegible]	12V / 24V / 48V / 96Vsystem	20A	30A
[illegible]	12V / 24V / 48V / 96Vsystem	25A	35A
[illegible]	12V / 24V / 48V / 96Vsystem	±0.02[illegible]/℃	
[illegible]	12V / 24V / 48V / 96Vsystem	14.2V-[illegible]25℃[illegible]* 0.3	
[illegible]	12V / 24V / 48V / 96Vsystem	200mV[illegible]	
[illegible]	12V / 24V / 48V / 96Vsystem	≤±1.5[illegible]	
[illegible]			
[illegible]		[illegible] [illegible]LCD[illegible]	
LED[illegible]		3[illegible]LED[illegible] [illegible] [illegible]LED[illegible]	
[illegible]		RS232[illegible]LAN[illegible]	
[illegible]			
[illegible]		[illegible]	
[illegible]		[illegible]	
[illegible]		[illegible]	
[illegible]		[illegible]	
[illegible]		[illegible]	
[illegible]		[illegible] [illegible] [illegible]	
[illegible]		95℃	
[illegible]		85℃[illegible] [illegible]3A[illegible]	
[illegible]			
[illegible]		≤40dB	
[illegible]		[illegible] [illegible]; [illegible]	
[illegible]		[illegible] [illegible]105℃[illegible]	
[illegible]		[illegible] [illegible]	
[illegible]		[illegible]2002/95 / EC[illegible]	
[illegible]			
[illegible]DxWxH[illegible]		270 * 185 * 90	

N.G□□□□	3
G.N□□□□	3.6
□□	□□/□□□□□□
□□	CE□ROHS□PSE□FCC
EMC	EN61000
□□□□□□	IP21
□□	
□□	0□90□RH□□□□□
□□□□	□0□3000m
□□□□	-20℃□+ 40℃
□□□□	-40℃□+ 75℃
□□□□	70□106KPa□□

□ □□ □□□□□□□□□□□□□□□□□□□□□□□□

□□□□ OEM□ODM□□.The36V / 72V / 96V□□□□□□□□□□□

□□□□



□□

1□□□□□□□□□□□□□□□□□□□□□□□□

2□□□□□□□□□□□□□□□□

3 □□□□

4 □□□□□□□

□□□□I - □□ MPPT□□□□□□□□□96V 30A