


96V 192V 216V 240V 384V MPPT

New Arrival  
GALAXY  
MPPT Solar Controller  
96V 192V 216V 240V 384V



Galaxy MPPT MPPT PV RS485 RS232 LAN



|                     |             | PV   |          |
|---------------------|-------------|------|----------|
| Galaxy-B96-XXA      | 96V 8*12V   | 430V | 70a; 80a |
| Galaxy-B192-XXA     | 192V 16*12V |      |          |
| Galaxy-B216-220-XXA | 216V 18*12V | 430V | 50a; 60a |
| Galaxy-B240-XXA     | 240V 20*12V |      |          |
| Galaxy-B384-XXA     | 384V 32*12V | 850V | 70a; 80a |

1. MPPT MPPT ≥99.5 98

- PC□□□□□□□□□□□□□□□□

PC□□

11

| 項目 | 規格            | B96            |      |      | B192 \ b216 \ 220 \ b240                            |      |      |      |      |
|----|---------------|----------------|------|------|-----------------------------------------------------|------|------|------|------|
|    |               | 70a            | 80a  | 100a | 50a                                                 | 60a  | 70a  | 80a  | 100a |
| 電圧 | 電圧            | MPPT電圧         |      |      |                                                     |      |      |      |      |
|    | MPPT電圧        | ≥98V           | ≥98V | ≥98V | ≥98V                                                | ≥98V | ≥98V | ≥98V | ≥98V |
|    | 電圧            | DC96V          |      |      | DC192V \ DC216V \ DC220V \ DC240V                   |      |      |      |      |
|    | VICENIFICAL電圧 | DC72V \ DC128V |      |      | DC144V \ DC256V \ DC162V \ DC288V \ DC180V \ DC320V |      |      |      |      |
|    | 電圧            | 電圧             |      |      |                                                     |      |      |      |      |

|    |        |                            |          |          |             |          |             |          |          |
|----|--------|----------------------------|----------|----------|-------------|----------|-------------|----------|----------|
| 電源 | 最大入力電圧 | DC430V                     |          |          | DC430V      | DC430V   | DC660V      | DC660V   | DC660V   |
|    | 起動電圧   | VBAT+20V                   | VBAT+20V | VBAT+20V | VBAT+20V    | VBAT+20V | VBAT+20V    | VBAT+20V | VBAT+20V |
|    | 動作電圧   | VBAT+10V                   | VBAT+10V | VBAT+10V | VBAT+10V    | VBAT+10V | VBAT+10V    | VBAT+10V | VBAT+10V |
|    | 動作電圧   | DC430V                     | DC430V   | DC430V   | DC430V      | DC430V   | DC660V      | DC660V   | DC660V   |
|    | 最大消費電力 | 7280W                      | 8320W    | 10400    | 10400W \    | 12480W \ | 14560W \    | 16640W \ | 20800W \ |
| 電圧 | 電圧     | 電圧範囲 - 電圧範囲                |          |          |             |          |             |          |          |
|    | 電圧     | 70a                        | 80a      | 100a     | 50a         | 60a      | 70a         | 80a      | 100a     |
|    | 電圧     | 電圧範囲 - 電圧範囲                |          |          |             |          |             |          |          |
|    | 電圧     | 電圧範囲                       |          |          | 電圧範囲        |          |             |          |          |
|    | 電圧     | 70a                        | 80a      | 100a     | 50a         | 60a      |             |          |          |
| 電圧 | 電圧     | OFF PV PV + 電圧             |          |          |             |          |             |          |          |
|    | 電圧     | LCD128*64ドット               |          |          |             |          |             |          |          |
|    | 電圧     | 8 RJ45 / RS485 / PC / WiFi |          |          |             |          |             |          |          |
|    | 電圧     | 電圧範囲                       |          |          |             |          |             |          |          |
|    | 電圧     | -20℃ +50℃                  |          |          |             |          |             |          |          |
| 環境 | 電圧     | -40℃ +75℃                  |          |          |             |          |             |          |          |
|    | IP     | IP21                       |          |          |             |          |             |          |          |
|    | 質量     | 14.7kg                     |          |          | 14.7kg      |          | 18.8kg      |          |          |
|    | 質量     | 16.6kg                     |          |          | 16.6kg      |          | 20.6kg      |          |          |
|    | 寸法     | 371*500*187                |          |          | 371*500*187 |          | 391*500*227 |          |          |
|    | 寸法     | 590*420*270                |          |          | 590*420*270 |          | 590*440*320 |          |          |

