

規格

- 1 MPPT効率99%、入力電圧範囲30%~60%
- 2 12V/24V/48V
- 3 PV電圧DC150V
- 4
- 5
- 6
- 7 +
- 8 4
- 9 LCD LED PV OEM LOGO
- 10 RS232 LAN IP
- 11 11
- 12
- 13 105°C 10
- 14 2002/95/EC
- 15 CE, ROHS, FCC, PSE
- 16 3~10

規格

MPPT I-P-SMART2-40A/50A/60A-series		40A	50A	60A
MPPT	MPPT			
	MPPT			
	DC12V/24V/48V			
	12V/24V/48V	≤10S		
	12V/24V/48V	≥96.5%, ≤99%		
	12V/24V/48V	≥99%		
PV				
MPPT	12V	DC18V~DC150V		
	24V	DC34V~DC150V		
	48V	DC65V~DC150V		
	12V	DC16V		
	24V	DC30V		
	48V	DC60V		
	12V	DC22V		
	24V	DC34V		
	48V	DC65V		
	12V/24V/48V	DC160V		
	12V/24V/48V	DC150V		
	12V/24V/48V	DC145V		
	12V	570W	700W	900W
	24V	1130W	1400W	1700W
	48V	2270W	2800W	3400W
規格				
GEL	12V/24V/48V	規格		
		規格		
	12V/24V/48V	規格		
	12V/24V/48V	規格		

□□□

1□□□□□□□□□□□□□□□□

2□□□□□□□□□□36V/72V/96V □□□□MPPT□□□□□ □

□□□□



蓝色外观



绿色外观



配件



上位机软件



包装

序号	数量	配件名称
1	1PC	控制器整机(蓝色或绿色可选, 或 OEM)
2	2 pc	挂耳 (用于控制器固定在墙壁)
3	4 set	螺丝 (用于挂耳锁在控制器)
4	1 pc	RJ45转 RS232连接线
5	1 pc	电池温度传感线
6	2 pc	保险丝 (DC 输出)
7	1 pc	说明书 (用户手册)

□□□□□□□□



□□□

1□□□□□□□□□□□□□□

2□□□□□□□□□□□□□□

□□□

□□□□□□□□□□□□□□