


□□□□□□□□□□□□□□□□□□



□□□□□

MPPT□□□□□□□□□□□□□□□□		25A	30A	40A
I-P-E-SMART-12V / 24V / 48V□□□□□				
□□□□	MPPT□□□□□□□□□□			
□□□□	□□□□□□□□□□□□□□□□□□□□			
□□□□□□□□	DC12V / 24V / 48V	□□□□		
	12V□□□□	DC9V□DC15V		
□□□□	24V□□□□	DC18V□DC30V		
	48V□□□□	DC36V□DC60V		
□□□□□□□□□□	12V / 24V / 48V□□□□	≤3S		
□□□□□□□□□□	12V / 24V / 48V□□□□	500US		
MPPT□□	12V / 24V / 48V□□□□	≥96.5□□≤99□		
□□□□				
	12V□□□□	DC14V□DC100V		
MPPT□□□□□□□□	24V□□□□	DC30□DC100V		
	48V□□□□	DC60□DC100V		
□□□□□□	12V□□□□	DC14V		
□□□□□□□□	24V□□□□	DC30V		
	48V□□□□	DC60V		
□□□□□□	12V□□□□	DC18V		
□□□□□□□□□□	24V□□□□	DC34V		
	48V□□□□	DC65V		
□□□□□□□□□□□□	12V / 24V / 48V□□□□	DC110		
□□□□□□□□□□□□	12V / 24V / 48V□□□□	DC100V		
	12V□□□□□□□□W□	355	426	568
□□□□□□□□	24V□□□□W□	710	852	1136
	48V□□□□□□□□W□	1420	1704	2272
CHARGE CHRECTRESTICS				
□□□□□□□□□□□□□□		□□□□□□□□□□□□□□□□□□□□		
□□□□□□□□□□	12V / 24V / 48V□□□□	□□□□□□□□□□□□□□□□□□□□		
□□□□□□		□□□□□□□□□□□□□□□□□□□□		
□□□□	12V / 24V / 48V□□□□	□□□□□□□□□□□□□□□□□□□□		
□□□□□□□□	12V / 24V / 48V□□□□			
□□□□□□□□	12V / 24V / 48V□□□□	25A	30A	40A
□□□□	12V / 24V / 48V□□□□	30A	35A	45A
□□□□	12V / 24V / 48V□□□□	±0.02□/°C		
□□□□	12V / 24V / 48V□□□□	14.2V-□□□□□-25°C□* 0.3		

電源電圧	12V / 24V / 48V	200mV
電源電圧変動	12V / 24V / 48V	≤±1.5%
電圧		
電圧		電圧変動
電圧		電圧変動10.5V～11V
電圧		30A
電圧		電圧変動PV
電圧		電圧変動PC
電圧		
LED電圧		電圧変動
LED電圧		電圧変動LOAD
PC電圧		RS232
電圧		
電圧		電圧変動
電圧		電圧変動
電圧		電圧
電圧		
電圧		≤40dB
電圧		電圧変動
電圧		EU
電圧		FCC RoHS CE
電圧		
電圧D×H		205 * 168 * 60
電圧D×H		265 * 196 * 110
N.G		1.8
G.N		2
電圧		IP25
電圧		
電圧		0～90RH
電圧		0～3000
電圧		-20℃～+50℃
電圧		-40℃～+75℃
電圧		70～106kPa

電圧・電圧





中外运敦豪





