

eSmart3 eSmart1 eSmart2 mppt 3 eSmartmppt



MPPT Solar Controller
12V24V36V48 50A-60A





MPPT Solar Controller 12V24V36V48 50A-60A




□□

















1. MPPT MPPT $\geq 99.5\%$
2. 3
3. 4 ON / OFF PV +
- 4.
5. Seal \ Gel \ Flooded 3
6. PV
7. LCD
8. RS485
9. APP PC WiFi
10. CE RoHS FCC
11. 2 2 10

MPPT


















Off Grid Solar System CPU



□□□□□□□□□□□□




LCD□□□□□□□□



On	Mean "ON"	FLD	Mean "FLD"
OFF	Mean "OFF"	GEL	Mean "GEL"
USER	Mean "USER"	SEL	Mean "SEL"

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□



PC SolarEagle

PV LOAD

□□□□

eS3		20A	30A	40A	50A	60A
MPPT					MPPT	
MPPT					≥99.5%	
MPPT					0.5W/1.2W	
MPPT					DC150V	
MPPT					8V + 3V	
MPPT					8V + 2V	
MPPT					DC150V	
PV	12V	260W	390W	520W	650W	780W
	24V	520W	780W	1040W	1300W	1560W
	36V	780W	1170W	1560W	1950W	2340W
	48V	1040W	1560W	2080W	2600W	3120W
LCD	20A		30A	40A	50A	60A
			3-4			
Display&			40A		60A	
			PV + LCD			
WiFi			802.11n/RS485/PC APP/WiFi			
			-20°C~+50°C			
IP			-40°C~+75°C			
			IP21			