000000MPPT00000000000000000000000000000
1.MPPT
0000MPPT000002.With0TI28035000000099000000000000000000000000000
2002/95 / EC4.Compliance
$\verb 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0$
6.Charge
7.12V / 24V / 48V
8.Nominal
9.Connected
10. LCD_LEDPV
11Port.RS232
000007000000000000000000PC0000000000000
13.0000LAN00000000
14.Equipment+ CD-ROM++++
15.CE_ROHS_FCC_PSEapproved.The



MPPT[[][][][][][][][][][][][][][][][][][]][] V / 48V[][][]	30A
	MPPT	
		10000
	DC12V / 24V / 48V	
	12V[[[[[DC9V[DC15V
	24V[[[[[DC18V□DC30V
	48V[[[[[DC36V[DC60V
	12V / 24V / 48V	≤3S
	12V / 24V / 48V	500US
MPPT□□	12V / 24V / 48V	≥96.5□□≤99□
0000		
MPPT000000	12V[[[[[DC14V[DC100V
	24V	DC30[DC100V
	48V[[[[[DC60□DC100V
00000 000000	12V[[[[[DC14V
	24V[[[[[DC30V
	48V[[[[[DC60V

00000 0000000 00000000000 00000000000	12VW	DC18V DC34V DC65V DC110V DC100V 450
000000	24V W 48V	850 1700
CHARGE CHRECTRES	TICS	
0000000000000 0000000 000000	12V / 24V / 48V	
000 00000 00000	12V / 24V / 48V 000 12V / 24V / 48V 000 12V / 24V / 48V 000 000 000 000 000 000 000 000 000 0	00000000000000000000000000000000000000
	12V / 24V / 48V	35A
0000 0000 0000000000	12V / 24V / 48V	±0.02[]/°C 14.2V-[][][][-25°C[]* 0.3 200mV[]
0000000 00	12V / 24V / 48V	≤±1.5□
30000 3000 3000 30000 30000 3000 3000		000000000 0000010.5V00011V0000000 30A 000000PV00000000000000000000000000000
LED0000000 LED0000000000 PC000000		
000 000000 0000000		≤40dB □□□□□□□□ EU□□□□□□□□□□ FCC ROHS CE
	n[]]	205 * 168 * 60 265 * 196 * 110 1.8 _□ 2 _□ IP25
00 00 00 000 0000 000		0[]90[]RH[][][][] 0[]3000[][][] -20°C[]+ 50°C -40°C[]+ 75°C 70[]106kPa[][][][]















[]1[]PC Firmware





x x













