

MPPT IP-HPC

I-P-HPC-Series System




I-P-HPC-Series Inverter+Solar Controller

□□□□

MPPT IP-HPC- AC DC & 038
 1.
 2.Solar

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

DXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX OEM ODM XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX R&XXXXXXXXXXXX



□□







□□□□□

□□□□□□□□	1000W	1500W	2000W	3000W	4000W	5000W
□□□□□□□□	1000W	1500W	2000W	3000W	4000W	5000W
□□□□□□□□	2000W	3000W	4000W	6000W	8000W	10000W
□□□□□□□□	24V	24V / 48V□□□□□□			48V	
□□□□□□□□						
□□□□□□□□	PV□					
□□□□□□□□	PV□+□□□□□□□□					
MPPT□□□□□□□□□□	□□	24V	24V / 48V		48V	
	□□□□	20A	25A	30A	40A	40A
	□□PV□□□□	100V				
	PV□□□□	95□□99□				
□□□□-PV□□□□	568W	24V□710W	24V□852W	24V□1136W	2272W	2272W
		48V1420W	48V□1704W	48V□2272W		
□□□□□□□□	AC□□□□	0□15A				
□□□□□□□□	□□□□□□	8□□□□□□□				
□□□□□□□□		220V±3□□□□±230V 3□□□240V±3□□□□100V±3□				
AC□□	□□	□□□□110V□±3□□□□□□□□				
□□□□	□□□□	0.5±0.5□□□60Hz±50Hz□□□□□□□□□□				
□□□□	□□□□	□□□□□□□□□□□□□□THD≤3				
□□□□	□□□□	> 120□1□□> 130□10S				
□□□□	□□□□	0.4A	24V□0.5A	24V□0.7A	24V□0.7A	0.6A
□□□□□□□□□□		48V□0.4A	48V□0.45A	48V□0.5A		0.65A

额定功率	1-6W					
额定输入电压	85V~192V					
额定输出电压	220V	±35%	110V	±35%		
AC输入	220V±5%	110V±5%				
AC输出	> 120V	130V	105			
AC输入DC	AC					
UPS	DC					
转换时间	< 5ms	AC	DC	DC		
效率						
输入	AC					
输出	LED					
工作温度	-10°C	50°C				
湿度	10%	90%				
寿命	≤4000h					
尺寸 W×D×H(mm)	438 * 208 * 413			450 * 246 * 468		
尺寸 W×D×H(mm)	520 * 310 * 460			540 * 300 * 518		
重量 kg	15	17	19	25	34	35
重量 kg	16	18	20	27	40	41