


96V 192V 216V 240V 384V MPPT

New Arrival
GALAXY
MPPT Solar Controller
96V 192V 216V 240V 384V




Galaxy MPPT PV RS485 RS232 LAN




		PV	
Galaxy-B96-XXA	96V 8*12V	430V	70a; 80a

項目	B96		B192 \ B216						
	70a	80a	100a	50a	60a	70a	80a	100a	
基本仕様	MPPT電圧範囲	MPPT電圧範囲: 100V ~ 450V							
	MPPT効率	≥98%	≥98%	≥98%	≥98%	≥98%	≥98%	≥98%	≥98%
	入力電圧範囲	DC96V			DC192V \ DC216V \ DC220V \ DC240V				
	識別電圧範囲	DC72V \ DC128V			DC144V \ DC256V \ DC162V \ DC288V \ DC180V \ DC320V				
	最大電圧	MPPT電圧範囲: 100V ~ 450V							
電圧仕様	VMAX-PV	DC430V			DC430V	DC430V	DC660V	DC660V	DC660V
	vstart-pv	VBAT+20V	VBAT+20V	VBAT+20V	VBAT+20V	VBAT+20V	VBAT+20V	VBAT+20V	VBAT+20V
	vlow-pv	VBAT+10V	VBAT+10V	VBAT+10V	VBAT+10V	VBAT+10V	VBAT+10V	VBAT+10V	VBAT+10V
	Vover-PV	DC430V	DC430V	DC430V	DC430V	DC430V	DC660V	DC660V	DC660V
	PV最大出力	7280W	8320W	10400	10400W \ 11700W \ 13000W	12480W \ 14040W \ 15600W	14560W \ 16380W \ 18200W	16640W \ 18720W \ 20800W	20800W \ 23400W \ 26000W
電流仕様	最大電流	MPPT電流範囲: 10A ~ 45A							
	電流範囲	70a	80a	100a	50a	60a	70a	80a	100a
	電流精度	3%以内							
電圧・電流	電圧	MPPT電圧範囲: 100V ~ 450V			MPPT電圧範囲: 100V ~ 450V		□	□	□
	電流	70a	80a	100a	50a	60a	□	□	□
	電圧・電流	MPPT電圧範囲: 100V ~ 450V					□	□	□
ディスプレイ	ディスプレイ	LCD128*64							
	ディスプレイ	8 RJ45 / RS485 / PC / WiFi							
環境仕様	温度範囲	-20℃ ~ +50℃							
	湿度範囲	-40℃ ~ +75℃							
	IP	IP21							
	重量	14.7kg			14.7kg		18.8kg		
	重量	16.6kg			16.6kg		20.6kg		
	寸法	371*500*187			371*500*187		391*500*227		
	寸法	590*420*270			590*420*270		590*440*320		

環境仕様



□□□□



Web