

96V 192V 216V 240V 384V MPPT



*New Arrival*


**GALAXY**

*MPPT Solar Controller*

96V 192V 216V 240V 384V



Galaxy MPPT PV RS485 RS232 LAN



□□□□

□□	□□□□□□□□	□□□□PV□□□□	□□□□
Galaxy-B96-XXA	96V □8*12V□	430V	70a; 80a

Galaxy-B192-XXA	192V □16*12V	430V	50a; 60a
Galaxy-B216	216V □18*12V		
Galaxy-B240-XXA	240V □20*12V	850V	70a; 80a
Galaxy-B384-XXA	384V□32*12V		

- 1. MPPT效率MPPT≥99.5%效率98%
- 2. 3年质保
- 3. PV输入/输出PV+
- 4. 3年质保 \ gel \ flooded
- 5. PV
- 6. -
- 7. LCD
- 8. RS485
- 9. Support PC WiFi
- 10. CE ROHS FCC
- 11. 3年质保 3年10年

PC

PC

PV

□□□□□

項目	規格	B96			B192 \ B216					
		70a	80a	100a	50a	60a	70a	80a	100a	
MPPT	MPPT	MPPT								
	MPPT	≥98%	≥98%	≥98%	≥98%	≥98%	≥98%	≥98%	≥98%	
	DC	DC96V			DC192V \ DC216V \ DC220V \ DC240V					
	DC	DC72V \ DC128V			DC144V \ DC256V \ DC162V \ DC288V \ DC180V \ DC320V					
電圧	VMAX-PV	DC430V			DC430V	DC430V	DC660V	DC660V	DC660V	
	vstart-pv	VBAT+20V	VBAT+20V	VBAT+20V	VBAT+20V	VBAT+20V	VBAT+20V	VBAT+20V	VBAT+20V	
	vlow-pv	VBAT+10V	VBAT+10V	VBAT+10V	VBAT+10V	VBAT+10V	VBAT+10V	VBAT+10V	VBAT+10V	
	Vover-PV	DC430V	DC430V	DC430V	DC430V	DC430V	DC660V	DC660V	DC660V	
	PV	7280W	8320W	10400	10400W \ 11700W \ 13000W	12480W \ 14040W \ 15600W	14560W \ 16380W \ 18200W	16640W \ 18720W \ 20800W	20800W \ 23400W \ 26000W	
電流	電流	3								
	電流	70a	80a	100a	50a	60a	70a	80a	100a	
	電流	3								
電圧	電圧	70a			80a		100a		50a	
	電圧	70a	80a	100a	50a	60a				
	電圧	PV					PV +			
ディスプレイ	ディスプレイ	LCD128*64								
	ディスプレイ	8 RJ45 / RS485 / PC / WiFi								
環境	温度	-20°C ~ +50°C								
	湿度	-40°C ~ +75°C								
	IP	IP21								
	重量	14.7kg			14.7kg		18.8kg			
	重量	16.6kg			16.6kg		20.6kg			
	寸法	371*500*187			371*500*187		391*500*227			
	寸法	590*420*270			590*420*270		590*440*320			

環境

