

# I-P-HPC-Series System



I-P-HPC-Series Inverter+Solar Controller


□□□□

- 1. [MPPT](#) I-P-HPC AC DC
- 2. Solar



XXXXXXXXXXXXXXXXXXXXXXXXXXXX

DXXXXXXXXXXXXXXXXXXXXOEM ODMXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXR&038XXXXXXXX



□□







□□□□□

□□□□□□□□	1000W	1500W	2000W	3000W	4000W	5000W
□□□□□□	1000W	1500W	2000W	3000W	4000W	5000W
□□□□□	2000W	3000W	4000W	6000W	8000W	10000W
□□□□□□	24V	24V / 48V□□□□□□			48V	
□□□□□□□□						
□□□□□□□□	PV□					
	PV□+□□□□□□□□					
MPPT□□□□□□□□□□	□□	24V / 48V			48V	
	□□	20A	25A	30A	40A	40A
	□□□□PV□□□□	100V				
	PV□□□□	95□□99□□				
	□□□□-PV□□□□	568W	24V□710W 48V1420W	24V□852W 48V□1704W	24V□1136W 48V□2272W	2272W
□□□□□□□□	AC□□□□	0□15A				
□□□□□□	□□□□	8□□□				
□□□□□□						
AC□□	□□	220V±3□□□230V±3□□□240V±3□□□100V±3□				
	□□	□□□□110V□±3□□□□□□□□				
	□□	0.5±0.5□□□60Hz±50Hz□□□□□□□□□□				
□□□□	□□□□	□□□□□□□□□□□□□□THD≤3				
□□□□□	□□□□	> 120□□1□□> 130□□10S				
□□□□	□□□□	0.4A	24V□0.5A 48V□0.4A	24V□0.7A 48V□0.45A	24V□0.7A 48V□0.5A	0.6A
□□□□□□□□□□	□□□□□□□□					0.65A

最大消費電力	1-6W					
電源電圧	85V/92V					
電源電圧変動許容範囲	220V(110V + 35%)±					
AC電源	220V±5%(110V + 5%)					
AC電源	> 120V/130V/105					
AC/DC変換	AC/DC変換器					
UPS機能	DC/AC変換器					
起動時間	< 5ms(AC/DC/DC)					
動作温度範囲	-10°C~50°C					
湿度	90%~10%					
寸法	≦400mm					
幅×奥行×高さ(mm)	438 * 208 * 413	450 * 246 * 468				
幅×奥行×高さ(mm)	520 * 310 * 460	540 * 300 * 518				
重量(kg)	15	17	19	25	34	35
重量(kg)	16	18	20	27	40	41